

**SAFETY DATA SHEET**  
according to Regulation (EU) 2015/830

Page 1/7

**FlexiLevel**

Revision 2  
Revision date 2021-01-20

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

<b>Product name</b>	FlexiLevel
---------------------	------------

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

<b>Product Use</b>	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC0] Other;
<b>Description</b>	Cement based Self Levelling Compound.

**1.3. Details of the supplier of the safety data sheet**

<b>Company</b>	Tilemaster Adhesives Ltd
<b>Address</b>	Unit 4, Tomlinson Point Tomlinson Road Leyland Lancashire PR25 2DY
<b>Web</b>	www.tilemasteradhesives.co.uk
<b>Telephone</b>	01772 456 831
<b>Fax</b>	01772 436 974
<b>Email</b>	info@tilemasteradhesives.co.uk
<b>Email address of the competent person</b>	info@tilemasteradhesives.co.uk

**1.4. Emergency telephone number**


<b>Emergency telephone number</b>	01772 456 831
<b>Company</b>	Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

<b>2.1.2. Classification - EC 1272/2008</b>	Skin Sens. 1: H317; Eye Irrit. 2: H319;
---	---

**2.2. Label elements**

<b>Hazard pictograms</b>	
<b>Signal Word</b>	Warning
<b>Hazard Statement</b>	Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation.
<b>Precautionary Statement: Prevention</b>	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

## FlexiLevel

Revision 2  
Revision date 2021-01-20

## 2.2. Label elements

Precautionary Statement: Disposal	P501 - Dispose of contents/container to a licensed waste disposal site in accordance with the local Waste Disposal Authority
--------------------------------------	--

## 2.3. Other hazards

Other hazards	No data is available on this product.
---------------	---------------------------------------

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Calcium Carbonate		1317-65-3	215-279-6			
High Alumina Cement		65997-16-2	266-045-5			
Portland Cement		65997-15-1	266-043-4			Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

## 5.2. Special hazards arising from the substance or mixture

	Do not allow runoff water to enter sewers or drains.
--	--

## 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Ensure adequate ventilation of the working area. Wear eye/face protection. Wear suitable gloves. Wear suitable protective clothing.
--	---

## 6.2. Environmental precautions

## FlexiLevel

Revision 2

Revision date 2021-01-20

## 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

## 6.3. Methods and material for containment and cleaning up

Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## 6.4. Reference to other sections

See section 2, 8, 13 for further information.

**SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Store at temperatures above 5 °C.

## 7.3. Specific end use(s)

See section 1.2 for further information.

**SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Exposure controls.

## 8.1.1. Exposure Limit Values

Calcium Carbonate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -	
respirable dust:	respirable dust:	
High Alumina Cement	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total	
inhalable dust:	inhalable dust:	
WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total	
respirable dust:	respirable dust:	
Portland Cement	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -	
inhalable dust:	inhalable dust:	
WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -	
respirable dust:	respirable dust:	

## FlexiLevel

Revision 2

Revision date 2021-01-20

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	Grey
Odour	Odourless
Odour threshold	Not applicable.
pH	> 10
Melting point	Not applicable.
Freezing Point	Not applicable.
Initial boiling point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	No data available
Fat Solubility	Not applicable.
Partition coefficient	Not applicable.
Autoignition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Slightly miscible in water

## 9.2. Other information

Conductivity	No data available
Surface tension	Not applicable.
Gas group	Not applicable.
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	No data available.
--	--------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No data available.
--	--------------------

## 10.4. Conditions to avoid

	Moisture. Do not use below 5°C.
--	---------------------------------

## FlexiLevel

Revision 2

Revision date 2021-01-20

## 10.5. Incompatible materials

Acids.

## 10.6. Hazardous decomposition products

No data is available on this product.

**SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation	Irritating to eyes.
Respiratory or skin sensitisation	No sensitization effects reported.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No data is available on this product.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.

## 11.1.4. Toxicological Information

No data available

**SECTION 12: Ecological information**

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data is available on this product.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

	<b>FlexiLevel</b> Not applicable.	<b>Calcium Carbonate</b> No data available
	<b>High Alumina Cement</b> Not applicable.	<b>Portland Cement</b> Not applicable.

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

No data is available on this product.

## 12.6. Other adverse effects

No data is available on this product.

**SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Contact a licensed waste disposal company.

## General information

Dispose of in compliance with all local and national regulations.

## FlexiLevel

Revision 2

Revision date 2021-01-20

## Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

## 15.2. Chemical safety assessment

A chemical safety assesment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

## SECTION 16: Other information

## Other information

## Text of Hazard Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.  
 Skin Sens. 1: H317 - May cause an allergic skin reaction.  
 Eye Dam. 1: H318 - Causes serious eye damage.  
 STOT SE 3: H335 - May cause respiratory irritation.

## Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in

# FlexiLevel

Revision 2

Revision date 2021-01-20

---

**Further information**

---

	combination with any other materials or in any other process.
--	---

---