

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

**Page** 1/6

# Rapid Level 30

Revision 3
Revision date 2021-01-20

Rapid Level 30  2. Relevant identified uses of the substance or mixture and uses advised against  Groduct Use  [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC0] Other;  Cement based Self Levelling Compound.  3. Details of the supplier of the safety data sheet  Company Address  Tilemaster Adhesives Ltd Unit 4, Tomlinson Point Tomlinson Road Leyland Lancashire PR25 2DY  Web  www.tilemasteradhesives.co.uk  Felephone  101772 456 831 1016@tilemasteradhesives.co.uk  Fimail address of the competent person  4. Emergency telephone number  Emergency telephone number  Company  101772 456 831 Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  Hazard Statement  No Significant Hazard  No Significant Hazard  3. Other hazards	SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
2. Relevant identified uses of the substance or mixture and uses advised against  Froduct Use  [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC0] Other;  Cement based Self Levelling Compound.  3. Details of the supplier of the safety data sheet  Company Address  Tilemaster Adhesives Ltd Unit 4, Tomlinson Point Tomlinson Road Leyland Lancashire PR25 2DY  Web  www.tilemasteradhesives.co.uk Telephone 01772 456 831 info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk  competent person  4. Emergency telephone number  Emergency telephone number  Emergency telephone number  Company  01772 456 831 Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  lazard Statement No Significant Hazard No data is available on this product.	1.1. Product identifier	and dabbaande, mixture and or the dompany, andertaking	
SU22  Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC0] Other;   Cement based Self Levelling Compound.   3. Details of the supplier of the safety data sheet   Company	Product name	Rapid Level 30	
Craftsmen); [PC0] Other; Cement based Self Levelling Compound.  3. Details of the supplier of the safety data sheet  Company Address  Tilemaster Adhesives Ltd Unit 4, Tomlinson Point Tomlinson Road Leyland Lancashire PR25 2DY  Web  www.tilemasteradhesives.co.uk  Felephone 101772 456 831 101772 436 974 Info@tilemasteradhesives.co.uk Info@tilemasteradhesives.co.uk Info@tilemasteradhesives.co.uk Info@tilemasteradhesives.co.uk Info@tilemasteradhesives.co.uk  Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  No Significant Hazard  No data is available on this product.	1.2. Relevant identified uses of the substance or mixture and uses advised against		
3. Details of the supplier of the safety data sheet  Company Address  Tilemaster Adhesives Ltd Unit 4, Tornlinson Point Tomlinson Road Leyland Lancashire PR25 2DY Web  www.tilemasteradhesives.co.uk Telephone 01772 456 831 01772 436 974 Info@tilemasteradhesives.co.uk Temail didress of the competent person  4. Emergency telephone number Temergency telephone number Temergency telephone number Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements Hazard Statement No Significant Hazard No data is available on this product.	Product Use		
Tilemaster Adhesives Ltd Unit 4, Tomlinson Point Tomlinson Road Leyland Lancashire PR25 2DY Web www.tilemasteradhesives.co.uk Telephone 01772 456 831 01772 436 974 Info@tilemasteradhesives.co.uk Info@tilemasteradhesiv	Description	Cement based Self Levelling Compound.	
Unit 4, Tomlinson Point Tomlinson Road Leyland Lancashire PR25 2DY Web www.tilemasteradhesives.co.uk Telephone 01772 456 831 Tinfo@tilemasteradhesives.co.uk Info@tilemasteradhesives.co.uk Info@tilemasteradhesives.co.u	1.3. Details of the supplier of the	safety data sheet	
Tomlinson Road Leyland Lancashire PR25 2DY  Web www.tilemasteradhesives.co.uk Telephone 01772 456 831 Fax 01772 436 974 Email info@tilemasteradhesives.co.uk Email ddress of the info@tilemasteradhesives.co.uk Email ddress of the info@tilemasteradhesives.co.uk Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Email address of the info@tilemasteradhesives.co.uk  Info@tilemasteradhesives.co.	Company	Tilemaster Adhesives Ltd	
Telephone Fax 01772 436 831 01772 436 974 Info@tilemasteradhesives.co.uk Imail address of the info@tilemasteradhesives.co.	Address	Tomlinson Road Leyland Lancashire	
Tax 01772 436 974 info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk  Temail address of the competent person info@tilemasteradhesives.co.uk  Temergency telephone number  Temergency telephone number  Company 01772 456 831  Tilemaster Adhesives Ltd.  8.00 am - 5.00 pm Mon - Fri  TECTION 2: Hazards identification  2. Label elements  Hazard Statement No Significant Hazard  3. Other hazards  No data is available on this product.	Web	www.tilemasteradhesives.co.uk	
info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk  info	Telephone	01772 456 831	
info@tilemasteradhesives.co.uk  info@tilemasteradhesives.co.uk	Fax	01772 436 974	
A. Emergency telephone number  Emergency telephone number  Company  O1772 456 831  Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  Hazard Statement  No Significant Hazard  Other hazards  No data is available on this product.	Email	info@tilemasteradhesives.co.uk	
Company  O1772 456 831  Tilemaster Adhesives Ltd.  8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  Hazard Statement  No Significant Hazard  Other hazards  No data is available on this product.	Email address of the competent person	info@tilemasteradhesives.co.uk	
Tilemaster Adhesives Ltd. 8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  Hazard Statement  No Significant Hazard  3. Other hazards  No data is available on this product.	1.4. Emergency telephone numb	per	
8.00 am - 5.00 pm Mon - Fri  SECTION 2: Hazards identification  2. Label elements  Hazard Statement  No Significant Hazard  3. Other hazards  No data is available on this product.	Emergency telephone number	01772 456 831	
2. Label elements Hazard Statement No Significant Hazard 3. Other hazards No data is available on this product.	Company	Tilemaster Adhesives Ltd.	
.2. Label elements Hazard Statement No Significant Hazard .3. Other hazards No data is available on this product.		8.00 am - 5.00 pm Mon - Fri	
Alazard Statement  No Significant Hazard  3. Other hazards  No data is available on this product.	SECTION 2: Hazards identifi	ication	
.3. Other hazards  No data is available on this product.	2.2. Label elements		
Other hazards No data is available on this product.	Hazard Statement	No Significant Hazard	
	2.3. Other hazards		
SECTION 3: Composition/information on ingredients	Other hazards	No data is available on this product.	
	SECTION 3: Composition/inf	formation on ingredients	

3.2. Mixtures

Revision 3
Revision date 2021-01-20

#### 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Calcium Carbonate		1317-65-3	215-279-6			
High Alumina Cement		65997-16-2	266-045-5			
Calcium Sulphate		26499-65-0	231-900-3			

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

# 5.2. Special hazards arising from the substance or mixture

Do not allow runoff water to enter sewers or drains.

# 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear eye/face protection. Wear suitable gloves. Wear suitable protective clothing.

#### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### 6.4. Reference to other sections

See section 2, 8, 13 for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Revision 3
Revision date 2021-01-20

		Revision date 2021-01-20
7.1. Precautions for safe handli	ng	
	Avoid contact with eyes and skin. Ensure Manual Handling considerations when ha	adequate ventilation of the working area. Adopt best andling, carrying and dispensing.
7.2. Conditions for safe storage	, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. containers. Store at temperatures above	Keep containers tightly closed. Store in correctly labelled 5 °C.
7.3. Specific end use(s)		
	See section 1.2 for further information.	
SECTION 8: Exposure cont	rols/personal protection	
8.1. Control parameters	•	
	Exposure controls.	
8.1.1. Exposure Limit Values		
Calcium Carbonate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Calcium Sulphate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total 4	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
High Alumina Cement	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust: WEL 8-hr limit mg/m3 total 4	inhalable dust: WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
0.0 5		
8.2. Exposure controls	I = 1	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working	ng area.
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	In case of splashing, wear:. Approved sa	fety goggles.
Skin protection - Handprotection	Chemical resistant gloves (PVC).	
- Idiapiotodioii		

SECTION 9: Physical and chemical properties

Revision 3
Revision date 2021-01-20

#### 9.1. Information on basic physical and chemical properties

Appearance Powder Colour Beige Odour Odourless Odour threshold Not applicable. > 10 Melting point Not applicable. Freezing Point Not applicable. Initial boiling point Not applicable. Flash point Not applicable. Evaporation rate Not applicable. Flammability (solid, gas) Not applicable. Vapour pressure Not applicable. Vapour density Not applicable. Relative density No data available Fat Solubility Not applicable. Partition coefficient Not applicable. Autoignition temperature Not applicable. Viscosity Not applicable. **Explosive properties** Not applicable. Oxidising properties Not applicable. Solubility Slightly miscible in water

#### 9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Moisture. Do not use below 5°C.

No data available.

## 10.5. Incompatible materials

Acids.

## 10.6. Hazardous decomposition products

No data is available on this product.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity No data is available on this product.

Revision 3
Revision date 2021-01-20

	Revision date 2021-01-20		
11.1. Information on toxicologica	al effects		
Skin corrosion/irritation	Irritating to skin.		
Serious eye damage/irritation	Irritating to eyes.		
Respiratory or skin sensitisation	No sensitizaton effects reported.		
Germ cell mutagenicity	No data is available on this product.		
Carcinogenicity	No data is available on this product.		
Reproductive toxicity	No data is available on this product.		
STOT-single exposure	No data available.		
STOT-repeated exposure	No data available.		
Aspiration hazard	No data is available on this product.		
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.		
11.1.4. Toxicological Information			
	No data available		
SECTION 12: Ecological info	ormation		
12.1. Toxicity			
	No data available		
12.2. Persistence and degradab	ility		
	No data is available on this product.		
12.3. Bioaccumulative potential			
	No data is available on this product.		
Partition coefficient	<u>'</u>		
	Rapid Level 30 Not applicable. Calcium Carbonate No data available		
	High Alumina Cement Not applicable.  Calcium Sulphate No data available		
12.4. Mobility in soil			
	No data is available on this product.		
12.5. Results of PBT and vPvB	assessment		
	No data is available on this product.		
12.6. Other adverse effects			
	No data is available on this product.		
SECTION 13: Disposal cons	iderations		
13.1. Waste treatment methods			
	Contact a licensed waste disposal company.		
General information			
	Dispose of in compliance with all local and national regulations.		
Disposal of packaging			
<u> </u>	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.		
SECTION 14: Transport info			
14.1. UN number	IIIIauUI		
Ort Humbol	The product is not classified as dangerous for carriage.		
	1 p. caact. is not diagonia as dangerous for sarriage.		

Revision 3
Revision date 2021-01-20

14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for use	er		
	The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code		
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory information			
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
	COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.		
15.2. Chemical safety assessment			
	A chemical safety assesment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.		
SECTION 16: Other information			
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.		