

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Ultimate

Revision 1

Page

1/7

Revision date 2021-02-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Ultimate	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC1] Adhesives, sealants;	
Description	Cement based tile adhesive.	
1.3. Details of the supplier of the	safety data sheet	
Company	Tilemaster Adhesives Ltd	
Address	Unit 4, Tomlinson Point	
	Tomlinson Road	
	Leyland Lancashire	
	PR25 2DY	
Web	www.tilemasteradhesives.co.uk	
Telephone	01772 456 831	
Fax	01772 436 974	
Email	info@tilemasteradhesives.co.uk	
Email address of the	info@tilemasteradhesives.co.uk	
competent person		
1.4. Emergency telephone numb	ber	
Emergency telephone number	01772 456 831	
Company	Tilemaster Adhesives Ltd.	
	8.00 am - 5.00 pm Mon - Fri	
SECTION 2: Hazards identif	cation	
2.1. Classification of the substar	nce or mixture	
2.1.2. Classification - EC	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;	
1272/2008	l	
2.2. Label elements		
Hazard pictograms		
Signal Word	Danger	
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.	
	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
	Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation.	



Ultimate

2.2. Label elements		
Precautionary Statement:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.	
Prevention	P264 - Wash thoroughly after handling.	
	P271 - Use only outdoors or in a well-ventilated area.	
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P501 - Dispose of contents/container to a licensed waste disposal site in accordance with the local	
Disposal	Waste Disposal Authority	
2.3. Other hazards		
Other hazards	No data is available on this product.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Portland Cement		65997-15-1	266-043-4			Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;
High Alumina Cement		65997-16-2	266-045-5			
Calcium Carbonate		1317-65-3	215-279-6			

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.		
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.		
4.2. Most important symptoms and effects, both acute and delayed			
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	Irritating to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	May cause irritation to mucous membranes.		
4.3. Indication of any immediate medical attention and special treatment needed			
Inhalation	Seek medical attention if irritation or symptoms persist.		
Eye contact	Seek medical attention.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Seek medical attention if irritation or symptoms persist.		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
	Use extinguishing media appropriate to the surrounding fire conditions.		
5.2. Special hazards arising from the substance or mixture			
	Do not allow runoff water to enter sewers or drains.		
5.3. Advice for firefighters			
	Wear suitable respiratory equipment when necessary.		
SECTION 6: Accidental release measures			

6.1. Personal precautions, protective equipment and emergency procedures



Ultimate

Revision 1

Revision date 2021-02-22

6.1. Personal precautions, protective equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Wear eye/face protection. Wear suitable gloves. Wear suitable protective clothing.	
6.2. Environmental precautions		
	Do not allow product to enter drains. Prevent further spillage if safe.	
6.3. Methods and material for co	ntainment and cleaning up	
	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.	
6.4. Reference to other sections		
	See section 2, 8, 13 for further information.	
SECTION 7: Handling and st	torage	
7.1. Precautions for safe handlin	g	
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.	
7.2. Conditions for safe storage, including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Store at temperatures above 5 °C.	
7.3. Specific end use(s)		
	See section 1.2 for further information.	
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
	Exposure controls.	

8.1.1. Exposure Limit Values



Revision 1 Revision date 2021-02-22

Calcium Carbonate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
High Alumina Cement	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total
Portland Cement	respirable dust:	respirable dust:
	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
	เองที่เล่มเอ นั้นงิ่น	ເອງມາລາວ ແລະ.

8.2. Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.	
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.	
Skin protection - Handprotection	Chemical resistant gloves (PVC).	
SECTION 9: Physical and chemical properties		

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	Various
Odour	Odourless
Odour threshold	Not applicable.
pH	> 10
Melting point	Not applicable.
Freezing Point	Not applicable.
Initial boiling point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	Not applicable.
Viscosity	No data available
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Slightly miscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity			
	No data available.		
10.2. Chemical stability			
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	No data available.		
10.4. Conditions to avoid			
	Moisture. Do not use below 5°C.		
10.5. Incompatible materials			
	Acids.		
10.6. Hazardous decomposition products			
	No data is available on this product.		
SECTION 11: Toxicological information			
11.1. Information on toxicologica	11.1. Information on toxicological effects		
Acute toxicity	No data is available on this product.		



Ultimate

11.1. Information on toxicological effects			
Skin corrosion/irritation	Irritating to skin.		
Serious eye damage/irritation	Irritating to eyes.		
Respiratory or skin sensitisation	No sensitizaton effects reported.		
Germ cell mutagenicity	No data is available on this product.		
Carcinogenicity	No data is available on this product.		
Reproductive toxicity	No data is available on this product.		
STOT-single exposure	No data available.		
STOT-repeated exposure	No data available.		
Aspiration hazard	No data is available on this product.		
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.		
11.1.4. Toxicological Information	ו		
	No data available		
SECTION 12: Ecological info	ormation		
12.1. Toxicity			
	No data available		
12.2. Persistence and degradab	ility		
	No data is available on this product.		
12.3. Bioaccumulative potential			
	No data is available on this product.		
Partition coefficient			
	Ultimate No data available Portland Cement Not applicable.		
	High Alumina CementNot applicable.Calcium CarbonateNo data available		
12.4. Mobility in soil			
	No data is available on this product.		
12.5. Results of PBT and vPvB	1		
	No data is available on this product.		
12.6. Other adverse effects	· · · ·		
	No data is available on this product.		
SECTION 13: Disposal cons	iderations		
13.1. Waste treatment methods			
	Contact a licensed waste disposal company.		
General information			
	Dispose of in compliance with all local and national regulations.		
Disposal of packaging			
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.		
SECTION 14: Transport info	rmation		
SECTION 14: Transport info 14.1. UN number	rmation		



Revision 1

Revision date 2021-02-22

14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
	COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). REGULATION (EC) No 1907/2006 OF THE

15.2. Chemical safety assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,

amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and

Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,

SECTION 16: Other information

Other information